

**JUNE 2024** 

## **Angina**

#### CMS-HCC\_V28 Model Updates

At Healthfirst, we are committed to helping providers accurately document and code their patients' health records. This tip sheet is intended to assist providers and coding staff with the documentation and ICD-10-CM selection, along with the Centers for Medicare & Medicaid Services (CMS) Hierarchical Condition Category (HCC) Version 28 Model Updates, on services submitted to Healthfirst—specifically for common types of Angina. It provides information from industry sources about proper coding practice. However, this document does not represent or guarantee that Healthfirst will cover and/or pay for the services outlined. Coverage decisions are based on the terms of the applicable evidence of coverage and the provider's participation agreement. This includes the determination of any amounts that Healthfirst or the member owes the provider.

#### **ICD-10-CM Codes and Descriptions**

Under HCC V28 Model, these codes will no longer risk-adjust for DOS 2024		
120.1	Angina pectoris with documented spasm	
120.2	Refractory angina pectoris	
120.8	Other forms of angina pectoris	
120.9	Angina pectoris, unspecified	
I25.11*	Atherosclerotic heart disease of native coronary artery with angina pectoris	

<sup>\*</sup>Sixth character identifies to 1 – with documented spasm, 2– with refractory angina pectoris, 8 – with other forms of angina pectoris, 9 – with unspecified angina pectoris

**Angina** 

<u>HFproviders.org</u> Page 1 of 5

I25.70*	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris
I25.71*	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris
I25.72*	Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris
I25.73*	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris
I25.75*	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris
I25.76*	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris
I25.79*	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris

<sup>\*</sup>Sixth character identifies to 1 – with documented spasm, 2 – with refractory angina pectoris, 8 – with other forms of angina pectoris, 9 – with unspecified angina pectoris.

If documented and supported, providers should use alternative ICD-10-CM codes within the category to specify the form of angina pectoris		
120.0	Unstable angina	
123.7	Postinfarction angina	
I25.110	Atherosclerotic heart disease of native coronary artery with unstable angina pectoris	

**Angina** 

<u>HFproviders.org</u> Page 2 of 5

125.700	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris
I25.710	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris
125.720	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris
125.730	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris
125.750	Atherosclerosis of native coronary artery of transplanted heart with unstable angina
125.760	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina
125.790	Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris

HFproviders.org Page 3 of 5

#### **Documentation Should Include**

Status of	Specify	Symptoms	Link Associated	Treatment
Condition	Vessel		Conditions	Plan
<ul> <li>Improved</li> <li>Worsening</li> </ul>	Native     Autologous vein     Bypass graft	Occurs at rest     Becomes more frequent, severe, or prolonged than the usual pattern     Change from usual pattern     No response to rest	By using verbiage:  Due to  Associated with  Secondary to i.e., atherosclerosis, history of MI, heart disease, etc.	Final diagnostic statement     Diagnostic results with findings: EKG, echocardiography, or stress test confirming diagnosis of unstable angina     Treatment options for unstable angina, including:

### **Coding Example**

Case	Seventy-year-old female comes to emergency department (ED) with coronary artery disease (CAD) native artery with unstable angina; it is being treated with Nitrostat and Heparin injection.
Rationale	Assign I25.110 – Atherosclerotic heart disease of native coronary artery with unstable angina pectoris; it is supported in V28 model.  Documentation supports higher specificity for angina.

<u>HFproviders.org</u> Page 4 of 5

#### **Questions?**

Contact us at <u>#Risk\_Adjustments\_and\_clinical\_Documentation@healthfirst.org</u>.

For additional documentation and coding guidance, please visit the coding section on **HFproviders.org**.

Interested in receiving Healthfirst provider updates? Join our mailing list at **HFproviders.org/subscribe**.

#### References

- ICD-10-CM Official Coding Guidelines, FY 2024
- AHA Coding Clinic
- Advance Notice of Methodological Changes for Calendar Year (CY) 2024 Medicare
   Advantage (MA) Capitation Rates and Part C and Part D Payment Policies

Coverage is provided by Healthfirst Health Plan, Inc., Healthfirst PHSP, Inc., and/or Healthfirst Insurance Company, Inc. (together, "Healthfirst").

0366-24 PRX24\_58(a)

<u>HFproviders.org</u> Page 5 of 5