

Documentation and Coding: Severe Sepsis

Updated July 2023

At Healthfirst, we are committed to helping providers accurately document and code their patients' health records. This tip sheet is intended to assist providers and coding staff with the documentation and ICD-10-CM selection on services submitted to Healthfirst—specifically for **severe sepsis**. It provides information from industry sources about proper coding practice. However, this document does not represent or guarantee that Healthfirst will cover and/or pay for services outlined. Coverage decisions are based on the terms of the applicable evidence of coverage and the provider's participation agreement. This includes the determination of any amounts that Healthfirst or the member owes the provider.

Severe Sepsis

Two codes, at a minimum, are needed to report severe sepsis without **septic shock**.

Chapter-specific guidelines state, "First code for the underlying systemic infection, followed by a code R65.20, Severe sepsis. If the causal organism is not documented, assign code A41.9, Sepsis, unspecified organism, for the infection. Additional code(s) for the associated acute organ dysfunction are also required."

ICD-10-CM	Description
R65.20	Severe sepsis without septic shock (This code can never be assigned as primary diagnosis.)

Please note: Not all ICD-10-CM codes are listed.


Documentation and Coding: Severe Sepsis

Coding Example

Patient presents with altered mental status, high fever, tachycardia, and hypotension. Labs indicated White Blood Count (WBC) of 26,000 and chest X-ray showed pneumonia. On the discharge summary, patient had sepsis due to pneumonia, and encephalopathy due to severe sepsis.

The reported diagnoses are sequenced as follows:

1st Code	A40.3 - Sepsis due to Streptococcus pneumoniae
2nd Code	J18.9 - Pneumonia, unspecified organism
3rd Code	G93.41 (Listed as one of the organ dysfunctions in the instructional notes within ICD-10-CM at R65) - Encephalopathy (metabolic) (septic)
	R65.20 - Severe sepsis without septic shock



What documentation is needed to report severe sepsis?

- Documented diagnosis of severe sepsis.
- Severity of illness and improvement/worsening of patient status.
- Specification of causative organism, if known (e.g., sepsis due to pneumonia, implant, graft, etc.).
- Sequential Organ Failure Assessment (SOFA) or quick SOFA (qSOFA) score.
- Any one organ dysfunction criteria or SOFA score of 2 or more is required to diagnose sepsis.
- Organ dysfunctions such as elevated transaminases, Type 2 MI, Critical care myopathy, if related to infection.
- Document the sepsis due to infection (Type and Source or Location of Infection) with acute sepsis-related organ dysfunction as evidence by (list the organ dysfunctions) with or without septic shock.
- Clinical findings (e.g., high fever, tachycardia, hypotension, elevated white count, altered mental status, etc.).
- Past medical history or any comorbidities.
- Presence of risk factors and/or complications such as organ failure or dysfunction.
- Treatment plan, orders, and referrals.
- Specification if organ dysfunction is linkage.

Documentation and Coding: Severe Sepsis

Documentation Tips

- Diagnosis of severe sepsis cannot be made based solely on labs or bloodwork findings.
- It is best practice for the documentation of severe sepsis to be specific and clear.
- Only “severe sepsis due to infection” or “sepsis with acute organ dysfunction” are represented by codes for sepsis with the **R65.2*** subcategory.
- The “with” guideline in the Official Coding Guidelines (Section 1.A.15) does not apply to sepsis and organ failure dysfunction; the physician must make the link.
- The physician must document the systemic infection. If it is not clear that sepsis or severe sepsis was or was not present on admission, query the physician for clarification.
- Systemic inflammatory response syndrome (SIRS) (does not equate to sepsis).
 - Do not assume a link when the documentation states SIRS and an infection are present. Query the etiology of the SIRS. If no other information is available, report a code from subcategory **R65.1.***
 - If SIRS is secondary to a localized infection such as pneumonia without organ dysfunction, code only the localized infection, since there is no separate code for SIRS due to an infectious process in ICD-10-CM.
- **Terms that are not sufficient to code sepsis**
 - “History of sepsis” – This indicates the condition is already resolved.
 - “Urosepsis” – This is a nonspecific term and should not be considered synonymous with sepsis.
 - “Septic/Toxic” – These are adjectives and not diagnoses; use full terms such as “septic shock” instead.
 - Bacteremia without organ dysfunction is not sepsis, just infection with bacteremia.
- **Sequencing of severe sepsis**
 - If severe sepsis is present on admission and it meets the definition of principal diagnosis, the underlying systemic infection should be assigned as principal diagnosis; the underlying systemic condition should be documented and coded as principal diagnosis followed by the appropriate code from subcategory R65.2,* as required by the sequencing rules as a principal diagnosis on the facility setting.
 - When severe sepsis is present during an encounter (not present on admission), the underlying systemic infection and the appropriate code from subcategory R65.2* should be assigned as secondary diagnoses.
 - While severe sepsis may be present on admission, the diagnosis may not be confirmed until a time after admission. If the documentation is not clear whether severe sepsis was present on admission, the provider must be queried.

*Requires additional digit to complete diagnosis code.

Documentation and Coding: **Severe Sepsis**

Questions?

Contact us at #Risk_Adjustments_and_clinical_Documentation@healthfirst.org.

For additional documentation and coding guidance, please visit the Coding section at hfproviders.org.

References

- AHIMA.org
- [ICD-10-CM Official Guidelines for Coding and Reporting, FY 2023](#)
- [Mayo Clinic Q and A: Understanding sepsis and septic shock](#)
- [The Third International Consensus Definition of Sepsis and Septic Shock; JAMA February 23, 2016](#)